



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/817,510	04/02/2004	Todd L. DePue	04638 (3883.00042)	3144

35374 7590 07/23/2007  
LEAR CORPORATION, BLISS MCGLYNN, P.C.  
2075 WEST BIG BEAVER ROAD  
SUITE 600  
TROY, MI 48084

EXAMINER
----------

CHEN, JOSE V

ART UNIT	PAPER NUMBER
----------	--------------

3637

MAIL DATE	DELIVERY MODE
-----------	---------------

07/23/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

**Office Action Summary**

Application No.

10/817,510

Applicant(s)

DEPUE ET AL.

Examiner

José V. Chen

Art Unit

3637

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 26 April 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1, 15-19 and 21 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1, 15-19, 21 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_

- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

## DETAILED ACTION

### *Claim Rejections - 35 USC § 103*

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1, 15, 17, 18, 19, 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hansen in view of Kuntz. The patent to Hansen teaches structure substantially as claimed including a tray (10), comprising a body (12), support mechanism (28, 30) integrally connected to the body, a leg (figs. 8, 9) a mounting structure the only difference being that the mounting structure is not a spring biased dowel structure. However, the patent to Kuntz (at 44, 45) teaches the use of outwardly extending spring biased dowels to provide for a mount against interior components. It would have been obvious at the time of the invention to modify the structure of Hansen to include a spring biased dowel mount, as taught by Kuntz since such structures are

Art Unit: 3637

conventional alternative structures used in the same intended purpose of providing a mount, thereby providing structure as claimed. The structure of Hansen can both be cantilevered supported and supported by a leg structure as a structure is entitled to all of it's uses. The use of clips, recess for structures in trays is well known and commercially used. Applicant is given judicial notice of such. Further, the structures(48, 52 ) are legs as claimed. It is repeated that it would have been obvious to modify one mount for another mount since such structures are conventional alternative structures used for the same intended purpose of providing an attachment. It is this knowledge of conventional alternative structures used for the same intended purpose of providing a mount that provides a suggestion and/or motivation to modify.

Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hansen in view of Kuntz as applied to the claims above, and further in view of Sammons. The patent to Hansen teaches structure substantially as claimed as discussed above including a tray structure, the only difference being there is not a peripheral raised edge. However, the patent to Sammons teaches the use of a peripheral edge to preclude movement of articles placed thereon to be old. It would have been obvious and well within the level of ordinary skill in the art at the time of the invention was made to modify the structure of Hansen to include a peripheral edge, as taught by Sammons since such structure are conventional structures used in the same intended purpose, thereby providing structure as claimed.

### ***Response to Arguments***

Applicant's arguments filed 04/26/07 have been fully considered but they are not persuasive. It is noted that the term "integral" defines a structure that is part of a whole. As such, the prior art teaches such. However, the prior art does not teach a spring-biased dowel integrally and **unitarily** formed that is positioned at and extends along an end (edge).

### ***Conclusion***

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to José V. Chen whose telephone number is (571)272-6865. The examiner can normally be reached on m-f,m-th 5:30am-3:00pm.

Art Unit: 3637

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lanna Mai can be reached on (571)272-6867. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



José V. Chen  
Primary Examiner  
Art Unit 3637

Chen/jvc  
07-11-07